Collection Nos 207, 208

K. H. L. Key

No. 704

'Copymate'

RECORD BOOK

S.E. New South Wales & eastern Victoria

50 leaves in Duplicate

27-30 · xii. 1983

15-20. i. 1984

NUMBERED

NO CARBON PAPER REQUIRED

Collection No. 207

K. H. L. Key

27-30. xii. 1983

S.E. N.S.W. & N. Victoria

51

0.0 [illegible]

4639.6 Narooma.

0.1.5 Turn L left for Glasshouse Rocks.

0.3.5 Cemetery. Return.

0.4.2 Turn L left.

0.4.3 Glasshouse Rocks. End of road. No hedges

0.4.1 Turn L left into highway.

6.0.1 Central Tilba

6.3.2 Tilba Tilba.

6.6.7 Turn L left.

6.9.6 Wallaga Lake bridge. Narooma

Granite quarry on right.

7.1.7 On heights of Beauty Point. Turn

7.2.5 Back on Bermagui road. Turn

8.2.6 Bermagui.

8.3.0 Bunda cost Point. No hedges

8.4.5 Murrah R. Crossing.

9.0.1 Road cut-east of correctly identified

granite cleared from forest.

10.6.5 Turn L left for Wallaga Lake

707.7. Eaburn.

709.9. Back on main road. Tunnel 2 ft

719.2. Tanja

727.3. Undulating DSF. Pale grey-brown soil. E. suberi + Angophora floribunda to 70ft. Casuarina sp. to 20ft, occ. Xanthorrhoea sp. (acanthocarpa?), Themeda australis, Panicum sp. to 2ft, a fabiaceous shrub to 2ft. occ. Lepidosperma sp.; occ. Pharl. [illegible]

737.6. Bega.

771.5. Merimbula.

776.9. Gentle slope with pale sandy soil. Leptospermum laevigatum, Banksia integrifolia, Acacia longifolia, Casuarina littoralis to 15ft, scattered Eucalyptus gummifera + another, occ. Banksia serrata to 10ft. V. occ. B. integrifolia to 15ft. B. spinulosa frequent, much treeless scrub with Kunzea (?) sp. to 5ft, occ. Panicum sp. Lepidosperma sp., grasses, ? Acacia longifolia, flat-leaf Hakea sp., Macrotona australis, Pseudanthus sp., Pseudanthus muscosus, Pseudanthus orientalis, Pseudanthus divaricatissimus, Pseudanthus pimeleoides, Pseudanthus ericifolius, Pseudanthus virgatus, Pseudanthus sp., Pseudanthus sp., Pseudanthus sp.,

822.5 Turns right.

825.4 Turns right

823.8 Turns left.

824.1 Turns left.

[illegible] Kwan Cape lighthouse. Kite.

[illegible] Unpalatum pale brown roads.
Croma includens (?)

[illegible] Hakea spp. (3). Casuarina spp.

[illegible] Banksia integrifolia + occ. B. serrata

[illegible] H. laevis sp., occ. Hampera sp., occ.

[illegible] occ. No morabinea or Monotoca

[illegible] Similar to last, but only 5 ft.
Croma includens, Macrotona australis
[illegible] for rare Hakea B. serrata + Hakea

[illegible] divergent 2-3 ft. Equo to Hakea

[illegible] Leptospermum (?) sp. more abundant

[illegible] from 1 pace. This rate is only a few
No morabineas or Monotoca
[illegible] & more from the tree margin.

[illegible]

913.8 Junction of Wombeyan road & [illegible]

[illegible] Hakea sp.

Nat. remnant of mist.

936.0. Cordyline indivisa with white sand of Recovery.
Exocarpos cupressiformis, Myoporum (?)
Epacris obtusifolia, Leucopogon parviflorus, Dracophyllum
Exocarpos sparse. Exocarpos here 5. ft. Exocarpos
Exocarpos 6 months previously.

936.2. Exocarpos, Exocarpos, Exocarpos, Exocarpos
Exocarpos, Exocarpos, Exocarpos, Exocarpos
Exocarpos, Exocarpos, Exocarpos, Exocarpos

944.3. Picnic area. End of public road.

Walk: c. 2 km S of picnic area on to Austrostipa sulgata, Exocarpos cupressiformis, Cassytha reses of pale grey sandy soil facing Pyrorchaenemis.
Heath mainly to 1ft or less, dense.
Casuarina spp. (2), Hakea spp. (3) (mainly diff. from Green Cape) (spec. of 1, attached by cable
Melaleuca sp. (sometimes to 3ft, white flow
Persoonia sp. (broad leaves, mainly on slope towards sea), Epacris impressa, Kunzea
& Leptospermum sp., Banksia ?oblongifolia,
Epacridaceae + grasses in patches, Lakeyonia
Dampiera spp. (2), esp. along track, Goodenia
ovata
~~Along~~ ifolia (?) in gullies. Beetleson Melaleuca.
Return. No moralities or Monastria.
972.5. Back on Princes Highway. Turn
left.
975.0. Turned right on Imlay road.
997.8. Cirphula pyrorhaenemis.
8500!2. Snob Creek crossing.
016.2. Mungatta Creek crossing.
027.7. Wilpie Rock R. Crossing.

0.33.4 Turn S right into Carron Va Bley [illegible]

Bleed Loss to Ca.

29/12.

076.3. Bombala depart.

087.9 Grassland on undulating brown soil
Brachyscoma lobipennis
Helichrysum apiculatum with Strips of
pa lebs of Themeda.

088.6 Turn-off to Quidong on right.

112.0. Delegate.

134.4. Turns right.

135.6. Gentle slope with pale grey-brown soil
Exocarpa includens, Correa aporna, Lomatia,
E. [illegible] hyncha & E. tozeri to 6 ft
Pyrethrocarenid, Peakesia brunnea, Prasophyllum ulvaris
miscellaneous shrublets to 1ft fairly
& tussock grass very like Triodia.

140.5 Intersection: 'Dellicknora'.

141.1. Turns road from Bonang. Turns
right.

151.2. Tubbut.

170.4 Amboyne.

184.9. [illegible] crossing. McCullop's Bridge

195.6 [illegible] Sandhole.

202.0. Turned left to look-out.

20.0. = 202.0.

214.8. Turned right.

217.6. Mulgulmesang. (station only).

226.8. Turned left.

240.8. Summit of ridge, stony. Poor grey soil. E. paraflora to 60ft fairly dense. Cryptotbothrus chrysophorus, Gonioca australasiae

A prickly Daviesia dominant to 15ft in low strata, with ~~Eucalyptus~~ some grass, occ. Olearia sp., Acacia sp., some annual forbs and litter.

241.0. E. paraflora to 60ft + Acacia Percassa rufifrons (♀) to 5ft, margining a green grassy swamp depression. Olearia spp. (2). Otherwise as 240.8.

242.4. Signpost: Wombargo Range 465 off. Gonioca australasiae Essentially same environment as last.

252.2. Essentially the same, but with Percassa rufifrons Parahebe derwentiana + low Goodenia.

260.1. Signpost: 1st Great Dividing Range 4 State boundary. Rhytpla modesta Similar environment, but a broad-leaf Daviesia abundant.

[illegible] Benambra.

39/12.

383.3. Omeo to part.

392.0. Mt Hotham. Ko Prostanthera

no Monistria.

398.5. Slopes. E. paucifloa to 15ft. M. concinna
Monistria
foliaceous shrubs to 3ft dense, spar
Prostanthera aweata. Monistria & sp.

438.1. Steep slope with grey-brown soil
P. ulvaris, Kosciuscola cognatus
cleared along roadside from E. paucifloa, E
robertsonii & another large one to 90ft.
extensive stand of Parahebe derwentiana
confined to the cleared area. Acaena &

[Taken in conjunction with the trip from
Bairgo, it seems that in the main Victorian
Alps the alpine race of M. concinna is
conditioned by the presence of P. cuneata
This plant is present on the Omeo side
only from 5-6 km below Mt Hotham
& cuts out again 5-5 km further [illegible]
the road. There was no evidence of

the alpine race being succeeded by the montane race, although there was no tall dense WSF between Hotham & Ormes as there is on the western side & on Mt Buller & Mt Baw Baw. Apart from the absence of P. cuneata, there was no suggestion of vegetative conditions [illegible] for Coniferae.]

450.6. Ormes.

474.1. Benambra.

533.6. Sassafras Gap. 4264ft. Eucalypt Persoonia rugiformis, Cryptothamnus dryophyloides, Grey-brown soil. E. paraflora to 70ft, Leptospermum Correa oporinoides (?) some E. delegatensis to same. Acacia dealbata to 5ft, abundant shrubs mainly of 2 spp., plus Cassinia sp. to 3ft. Much [illegible]

557.9. Stacey's Bridge over Wheeler Ck. Eucalypt Eucalyptus pauciflora E. viridis & occ. E. globulus (?) leading down to creek which is lined with shrubs to 8ft & scattered Prostanthera P. ? sieberi Benth. ? Pultenaea [illegible] (sp.) Leptospermum Correa on one of these shrubs (unit of 5-10 inspected.

558.6 Nariel (= Upper Nariel)

566.0. Turned right on 'Dunstan's Logging road'

572.3. Site thought to be that of 'Camp 2', 4 mi. W of Nariel', for M. discrepans. Seems very unsuitable. Steep slope, brown dusty soil. E. ~~under~~ robertsonii + other trees to 100 ft dense bracken in places to 6 ft, elsewhere mixed shrubs to 2 ft, incl.

sp. Returns